



PRODUCT GUIDE: Timber Cladding







Contents: Timber Cladding

Feather edge Brown and Green	Page 1
Q-Garden Loglap	Page 2
Q-Garden Shiplap	Page 3
Q-Garden Screening	Page 4
Q-Clad Painted Timber Cladding	Page 6
Q-Clad Painted Featheredge-Black	Page 7
Q-Clad Painted Rebated Featheredge-Black	Page 8
Q-Clad Painted Rebated Featheredge-White	Page 9
O-Clad Painted Rebated Featheredge-Grey	Page 10

Timber Cladding



Brown or Green Treated Featheredge

2 ex 32 x 175mm

Unseasoned home grown whitewood featheredge available treated Green with Tanalith or Brown Tanatone.

Finished sizes: -

Treatment specification: - UC3U

Length specification: 4.8m only

Other: NO WARRANTY

They are ideal for finishing your own high quality buildings, sheds, cabins and screens.



Hoppings Softwood Products PLC. Epping / Lingfield

The Woodyard, Epping Road. Epping, Essex.CM16 6TT Sales -





Timber Cladding

Q-Garden Rebated Loglap CE

25 x 100mm

Q-Garden Pre-treated Timber Loglap Cladding is made from high quality certified softwood. It is preservative pre-treated with Tanalith

Finished sizes: 20.5 x 95mm after machining/prior to treatment

Treatment specification: UC3U

Length specification: On application

Pieces per pack: 96 pieces.

Other: covers 85mm

Ideal for finishing your own high quality buildings, sheds, cabins and

screens.



Q-Garden T&G Loglap CE 50 x 150mm

Q-Garden Pre-treated Timber Loglap Cladding is made from high quality certified softwood. It is preservative pre-treated with Tanalith

Finished sizes: 44 X 144mm after machining/prior to treatment

Treatment specification: UC3U

Length specification: On application

Pieces per pack: 40 pieces.

Other: covers 132mm

Ideal for finishing your own high quality buildings, sheds, cabins and

screens.





Hoppings Softwood Products PLC. Epping / Lingfield

The Woodyard, Epping Road. Epping, Essex.CM16 6TT

Sales -





Timber Cladding



Q-Garden Rebated Shiplap CE

16 & 19 x 125mm & 25 x 150mm



Q-Garden Pre-treated Shiplap Cladding is made from high quality certified softwood.

It is preservative pre-treated with Tanalith

Finished size options: 12 x 120, 14.5 x 120 & 20.5 x 144mm

after machining/prior to treatment

Treatment specification: UC3U

Length specification: On application

Pieces per pack: 16mm 162 pieces. 19mm 126 pieces.

25mm 80 pieces.

Other: 125mm covers 110mm. 150mm covers 135mm



They are ideal for finishing your own high quality buildings, sheds, cabins and screens.

Hoppings Softwood Products PLC. Epping / Lingfield

The Woodyard, Epping Road. Epping, Essex.CM16 6TT Sales -





Timber Screening

Q-Garden Multi-Purpose Screening 32 x 75mm

Screening type cladding pre-treated with Tanalith

Finished sizes: 27 x 69mm after machining/prior to treatment


Treatment specification: UC3U

Length specification: 3.6-4.2m

Pieces per pack: 128

elevated decks.

Other: Cover is flexible



It can also be used to create a privacy style deck balustrade with a simple wrapping style handrail as shown or to cloak external walls/ elevations known as rain-screen type cladding.









Hoppings Softwood Products PLC. Epping / Lingfield

The Woodyard, Epping Road. Epping, Essex.CM16 6TT Sales -







PRODUCT GUIDE: Painted Timber Cladding



Painted Timber Cladding



Q-Clad timber cladding is made from slow grown Scandinavian whitewood (Picea Abies).

It is kiln dried to a specific moisture content suitable for external cladding use and preservative treated to UC3C providing a 15 year warranty against fungal decay and insect attack (the warranty does not apply to the life of the paint coating).

Certified timber available certified on request.

Please enquire with your retailer if Chain of Custody is required.

Fine sawn finish provides great paint adhesion and great look.

Factory applied paint soon after timber processing provides best possible paint performance and finish for timber.

Rebated version provides quick and accurate fitting.

Q-Clad products have CladMark accreditation independently assessed by the Timber Decking & Cladding Association (TDCA).

Q-Clad pre-painted exterior timber cladding products can be used in most vertical exterior cladding situations.

They are designed to save time and provide a high quality painted finish that retains a natural grain appearance only timber can provide.

Factory applied paint provides the best possible paint

The products are essentially designed to be over-painted but this is your choice and not a requirement of the warranty.

We would recommend over-painting to hide the heads of fixings or any minor damage that may be incurred during fitting.

The white product is designed for over-painting with the colour of your choice.


We strive to provide conditions for the best possible paint adhesion.

The paint is a waterborne microporous system by Teknos, a well renowned Finnish commercial paint manufacturer.



Q-Clad Painted Featheredge-Black CE

CladMark Quality Assessed PRODUCT



32 X 175mm



Treatment Class UC3C (also known as Essex black barn featheredge) 24mm thick edge x 6mm thin edge x 175mm (covers 140mm)

(thickness dimensions can vary by+/-0.5mm, width dimensions can vary by +/-2.0mm). Fine sawn finish with one coat of black paint. Lengths 3.6m & longer.

Supplied bundled (4's) with protective packaging.













Hoppings Softwood Products PLC. Epping / Lingfield

The Woodyard, Epping Road. Epping, Essex.CM16 6TT Sales -

Tel. 01992 578877 Fax. 01992 561385

Freephone Hoppings Helpline 0800 8496339



Q-Clad Painted Rebated Featheredge-Black CE





Painted Black Featheredge Cladding Rebated (2 coats)

32 X 175mm

Treatment Class UC3C (also known as pre-painted weatherboarding) 23mm thick edge x 6mm thin edge x 174mm (covers 155mm) (thickness dimensions can vary by +/-0.5mm, width dimensions can vary +/-1.0mm).



Fine sawn finish with one stain resistant primer coat and one top coat of black paint. Sharp edges removed.

Lengths 3.6m & longer.

Supplied bundled (4's) with protective packaging.







Hoppings Softwood Products PLC. Epping / Lingfield

The Woodyard, Epping Road. Epping, Essex.CM16 6TT Sales -



Q-Clad Painted Rebated Featheredge-White CE





Painted White Featheredge Cladding Rebated (2 coats)

32 x175mm

Treatment Class UC3C (also known as pre-painted weatherboarding) 23mm thick edge x 6mm thin edge x 174mm (covers 155mm) (thickness dimensions can vary by +/-0.5mm, width dimensions can vary +/-1.0mm).



Fine sawn finish with one stain resistant primer coat and one top coat of white paint. Sharp edges removed.

Lengths 3.6m & longer.

Supplied bundled (4's) with protective packaging.







Hoppings Softwood Products PLC. Epping / Lingfield

The Woodyard, Epping Road. Epping, Essex.CM16 6TT Sales -



Q-Clad Painted Rebated Featheredge-Grey CE



Painted Grey Featheredge Cladding Rebated (2 coats)

32 x175mm

Treatment Class UC3C

(also known as pre-painted weatherboarding) 23mm thick edge x 6mm thin edge x 174mm (covers 155mm) (thickness dimensions can vary by +/-0.5mm, width dimensions can vary +/-1.0mm).

Fine sawn finish with one stain resistant primer coat and one top coat of grey paint.

Sharp edges removed.

Lengths 3.6m & longer.

Supplied bundled (4's) with protective packaging.



Hoppings Softwood Products PLC. Epping / Lingfield

The Woodyard, Epping Road. Epping, Essex.CM16 6TT Sales -

