

# Setra Wood Products Ltd

Product Catalogue 2026



We create green value.



Wood is just as useful and durable as many other materials – and far more sustainable in terms of both climate and environment. Trees absorb carbon dioxide and wood continues to store the carbon throughout its entire lifespan, whether it's in a house, a chair, or a deck. Wood will always have the ability to replace fossil-intensive alternatives, now and in the future. Simply put: wood offers significant climate benefits, the more wood we use, the happier our planet becomes.

Our value chain starts in the forest. With Swedish and Nordic raw material from responsibly managed forests, we/Setra have the ability to deliver wood products with high delivery reliability – on time, every time. With long-term forest stewardship and climate-smart processing, our products support sustainable forestry and the circular use of resources, making them a natural choice for anyone building with the future in mind.

We want to create long-term profitability while contributing to the global green transition by doing business that benefits more than just ourselves. True value is created when our customers, our partners, and society at large grow together.


Read more about Grönsamhet at: [setrawoodproducts.co.uk/](https://setrawoodproducts.co.uk/)




# Sawn & processed wood products from responsibly managed forests.

Raw material in both pine and spruce is sourced from forests near our sawmills and planing mills. We are located in the central parts of Sweden, one of the world's best raw material areas for softwood.

Our wood products are of high quality and have a densely grown and fine structure. Setra's customers are in the industrial and construction industries, and building materials trade worldwide.





# PAR/PSE Sections

Whitewood and Redwood Planed All Round and Planed Square Edged sections are available in a range of grades to suit budget and end use. All are machined to the same high standard.

We offer either packaged to length 3.6m and longer or truck bundled lengths on most of our range of PAR/PSE softwood. Full sets are approximately 1.0m<sup>3</sup>. Most sections can be split down to smaller volumes for a small premium.

We are also pleased to offer a range of sizes in cross-cut lengths of 2.1m, 2.4m and 3.0m. Contact our sales team for full details of our specifications and prices.



## Laminated

We offer both redwood and whitewood laminated products. The lamination process allows manufacturing of wide section sizes, which can be troublesome in solid timber form.



### Whitewood PAR / PSE

| Nominal Width (mm) | Nominal Thickness (mm) |    |    |    |
|--------------------|------------------------|----|----|----|
|                    | 22                     | 25 | 32 | 38 |
| 50                 | X                      |    |    |    |
| 75                 | X                      |    |    |    |
| 100                | X                      |    |    |    |
| 115                |                        |    | X  |    |
| 125                | X                      |    |    |    |
| 138                |                        |    | X  |    |
| 150                | X                      |    |    |    |
| 175                | X                      |    |    |    |
| 200                | X                      |    |    |    |
| 225                | X                      |    |    |    |

### Redwood PAR / PSE

| Nominal Width (mm) | Nominal Thickness (mm) |    |    |    |    |    |    |    |    |     |
|--------------------|------------------------|----|----|----|----|----|----|----|----|-----|
|                    | 12                     | 16 | 19 | 25 | 32 | 38 | 50 | 63 | 75 | 100 |
| 25                 | X                      |    | X  | X  |    |    |    |    |    |     |
| 38                 | X                      | X  | X  | X  | X  | X  |    |    |    |     |
| 50                 | X                      | X  | X  | X  | X  | X  | X  |    |    |     |
| 75                 | X                      |    | X  | X  | X  | X  | X  |    | X  |     |
| 100                | X                      |    | X  | X  | X  | X  | X  | X  | X  | X   |
| 115                |                        |    |    |    | X  |    |    |    |    |     |
| 125                |                        |    | X  | X  |    | X  | X  |    |    |     |
| 138                |                        |    |    |    | X  |    |    |    |    |     |
| 150                |                        |    | X  | X  | X  | X  | X  |    | X  |     |
| 175                |                        |    |    | X  | X  | X  |    |    |    |     |
| 200                |                        |    |    | X  | X  |    | X  |    |    |     |
| 225                |                        |    |    | X  | X  | X  | X  |    |    |     |

### Laminated

| Nominal Thickness (mm) |           |             |                   |  | Nominal Width (mm) |     |     |
|------------------------|-----------|-------------|-------------------|--|--------------------|-----|-----|
| Profile                | Wood Type | Finish Size |                   |  | 100                | 250 | 275 |
| 100 PAR                | Redwood   | 90x90       | 2 Piece Laminated |  | X                  |     |     |
| 32 PAR                 | Redwood   | 27x269      | 9 Piece Laminated |  |                    |     | X   |
| 32 PAR & Nosed         | Redwood   | 27x240      | 2 Piece Laminated |  |                    | X   |     |
| 25 PAR                 | Whitewood | 20x269      | 6 Piece Laminated |  |                    |     | X   |
| 38 PAR                 | Whitewood | 33x269      | 6 Piece Laminated |  |                    |     | X   |




# Architraves

Architraves are machined from selected high quality Scandinavian redwood and are finished to our usual high standard.


## Architraves

| Nominal Thickness (mm) | Profile   | Nominal Width (mm) |    |    |
|------------------------|-----------|--------------------|----|----|
|                        |           | 50                 | 63 | 75 |
| 19                     | Chamfered | X                  |    | X  |
| 19                     | Bullnose  | X                  |    | X  |
| 25                     | Ovolo     |                    | X  | X  |
| 25                     | Ogee      |                    | X  | X  |
| 25                     | Torus     |                    | X  | X  |


### Chamfered




### Bullnosed




### Ovolo



### Ogee



### Torus




# Skirtings

Skirtings are machined from selected high quality Scandinavian redwood and are finished to our usual high standard.


## Skirting

| Nominal Thickness (mm) | Profile             | Nominal Width (mm) |     |     |     |     |     |
|------------------------|---------------------|--------------------|-----|-----|-----|-----|-----|
|                        |                     | 75                 | 100 | 125 | 150 | 175 | 225 |
| 19                     | Chamfered/Bullnosed | X                  | X   | X   | X   |     |     |
| 19                     | Chamfered           | X                  |     |     |     |     |     |
| 25                     | Torus/Ogee          |                    |     | X   | X   | X   | X   |
| 25                     | Chamfered/Ovolo     |                    |     |     | X   | X   |     |


### Chamfered/Bullnosed




### Bullnosed




### Chamfered



### Torus/Ogee



### Chamfered/Ovolo



# MDF Mouldings

Moisture-resistant MDF is used to produce our range of quality mouldings (including dual-profile skirtings). A machine-applied white primer coat gives the ideal base for final finishing.


In addition to our stock range of MDF-mouldings, non-standard items are available on request.




## Moisture-resistant MDF White Primed

| Nominal Thickness (mm) | Profile              | Nominal Width (mm) |    |    |    |     |     |     |     |     |     |     |     |
|------------------------|----------------------|--------------------|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|
|                        |                      | 44                 | 58 | 69 | 94 | 119 | 145 | 169 | 195 | 219 | 220 | 244 | 294 |
| 14                     | Chamfered            | X                  |    | X  |    |     |     |     |     |     |     |     |     |
| 14                     | Bullnosed            | X                  |    | X  |    |     |     |     |     |     |     |     |     |
| 14                     | Chamfered/Bullnosed  |                    |    | X  | X  |     |     |     |     |     |     |     |     |
| 18                     | Torus                |                    | X  | X  |    |     |     |     |     |     |     |     |     |
| 18                     | Ogee                 |                    | X  | X  |    |     |     |     |     |     |     |     |     |
| 18                     | Grooved Contemporary |                    |    | X  |    |     | X   |     |     |     |     |     |     |
| 18                     | Ovolo                |                    |    | X  |    |     |     |     |     |     |     |     |     |
| 18                     | Bullnosed            |                    |    | X  |    |     | X   |     |     |     |     |     |     |
| 18                     | Chamfered            |                    |    | X  |    |     |     |     |     |     |     |     |     |
| 18                     | Torus/Ogee           |                    |    |    |    | X   | X   | X   |     |     | X   |     |     |
| 18                     | Chamfered/Ovolo      |                    |    |    |    |     | X   |     |     |     |     |     |     |
| 18                     | Square-Edged         |                    |    | X  |    |     | X   |     |     |     |     |     |     |
| 25                     | Windowboard          |                    |    |    |    |     | X   | X   | X   | X   |     | X   | X   |


Chamfered Architrave




Chamfered Skirting




Torus Architrave




Ogee Architrave




Torus / Ogee Skirting




Windowboard




Grooved Contemporary Architrave



Grooved Contemporary Skirting



Square-Edged






# Claddings

Available in stock patterns, or machined to customer's own profile. Designed to provide any interior project with the warmth of natural wood, or use preservative-treated for an external building or garden project.


## PTGV or PMV

| Nominal Thickness (mm) | Nominal Width (mm) |     |     |
|------------------------|--------------------|-----|-----|
|                        | 100                | 125 | 150 |
| 13                     | X                  |     |     |
| 16                     | X                  | X   |     |
| 19                     | X                  | X   | X   |
| 25                     |                    | X   | X   |





## Beaded PMV

| Nominal Thickness (mm) | Nominal Width (mm) |     |     |
|------------------------|--------------------|-----|-----|
|                        | 100                | 125 | 150 |
| 13                     | X                  |     |     |
| 19                     |                    |     | X   |



# Shiplap

19x125 and 19x150 Shiplaps are also held in stock green preservative treated UC3 for prompt delivery'



## Shiplap

| Nominal Thickness (mm) | Profile | Nominal Width (mm) |     |     |
|------------------------|---------|--------------------|-----|-----|
|                        |         | 100                | 125 | 150 |
| 16                     | Rebated |                    | X   |     |
| 16                     | T&G     |                    | X   |     |
| 19                     | Rebated |                    | X   | X   |
| 22                     | Loglap  | X                  |     |     |
| 25                     | Rebated |                    |     | X   |

X Treated UC3u Cladding available ex stock.



# Floorings

Available in stock patterns or can be machined to order. Swedish manufactured high quality flooring also available.


## PAR

| Nominal Thickness (mm) | Wood Type | Nominal Width (mm) |     |     |     |     |
|------------------------|-----------|--------------------|-----|-----|-----|-----|
|                        |           | 125                | 150 | 175 | 200 | 225 |
| 22                     | Whitewood | X                  | X   | X   | X   | X   |
| 25                     | Redwood   | X                  | X   | X   | X   | X   |


## PTG

| Nominal Thickness (mm) | Wood Type | Nominal Width (mm) |     |     |
|------------------------|-----------|--------------------|-----|-----|
|                        |           | 125                | 150 | 175 |
| 22                     | Whitewood | X                  | X   |     |
| 25                     | Redwood   | X                  | X   | X   |

### PTG Whitewood



### PTG Redwood



# Window Sections


Produced from selected slow-grown softwood to ensure stability and quality. Can be machined to customer patterns.




## Window Sections

| Nominal Thickness (mm) | Profile      | Nominal Width (mm) |    |     |     |     |     |
|------------------------|--------------|--------------------|----|-----|-----|-----|-----|
|                        |              | 50                 | 63 | 100 | 150 | 175 | 225 |
| 32                     | Window Board |                    |    |     | X   | X   | X   |
| 32                     | Nosing       | X                  |    | X   |     |     |     |
| 50                     | Stormboard   |                    | X  |     |     |     |     |
| 50                     | Cill         |                    |    |     | X   |     |     |
| 75                     | Window Cill  |                    |    |     | X   |     |     |


Windowboard




Nosing



Stormboard



Cill



Window Cill



# Handrails and Decorative Mouldings


Produced from selected slow grown softwood to ensure stability and quality. Can be machined to customer patterns.




## Handrails Nominal Thickness 50mm

| Nominal Thickness (mm) | Profile             | 50 | 75 | 125 |
|------------------------|---------------------|----|----|-----|
| 50                     | Mopstick            | X  |    |     |
| 50                     | Pigs Ear / Wall Fix |    |    | X   |
| 50                     | Crown               |    | X  |     |


Mopstick Handrail



Wall Fix Handrail




Crown handrail




## Decorative Mouldings

| Nominal Thickness (mm) | Profile      | Nominal Width (mm) |    |    |
|------------------------|--------------|--------------------|----|----|
|                        |              | 50                 | 63 | 75 |
| 25                     | Base Rail    |                    |    | X  |
| 25                     | Picture Rail | X                  |    |    |
| 25                     | Picture Rail |                    | X  |    |
| 25                     | Dado Rail    | X                  |    |    |
| 25                     | Dado Rail    |                    | X  |    |
| 25                     | Dado Rail    |                    |    | X  |


Base Rail



Picture Rail




Dado Rail



# Decorative Small Mouldings

Produced from selected slow grown softwood to ensure stability and quality. Can be machined to customer patterns.



## Window Sections Quadrant & Scotia

| Nominal Thickness (mm) |          | Nominal Width (mm) |    |    |    |       |
|------------------------|----------|--------------------|----|----|----|-------|
|                        | Profile  | Finish Size        | 12 | 16 | 19 | 22 25 |
| 12                     | Quadrant | 9x9                | X  |    |    |       |
| 16                     | Quadrant | 12x12              |    | X  |    |       |
| 19                     | Quadrant | 15x15              |    |    | X  |       |
| 22                     | Quadrant | 18x18              |    |    |    | X     |
| 25                     | Quadrant | 21x21              |    |    |    | X     |
| 25                     | Scotia   | 21x21              |    |    |    | X     |

## Astragal, Ogee Panel Mould, Barrel Mould, Broken Ogee Mould & Cushion Corner

| Nominal Thickness (mm) |                   | Nominal Width (mm) |    |    |       |
|------------------------|-------------------|--------------------|----|----|-------|
|                        | Profile           | Finish Size        | 25 | 32 | 38 50 |
| 12                     | Ogee Panel Mould  | 9x21               | X  |    |       |
| 12                     | Ogee Panel Mould  | 9x28               |    | X  |       |
| 12                     | Barrel Mould      | 9x21               | X  |    |       |
| 12                     | Broken Ogee Mould | 8x21               | X  |    |       |
| 12                     | Astragal          | 8x20               | X  |    |       |
| 12                     | Parting Bead      | 8x21               | X  |    |       |
| 12                     | Parting Bead      | 8x27               |    | X  |       |
| 16                     | Ogee Panel Mould  | 12x34              |    |    | X     |
| 16                     | Astragal          | 12x34              |    |    | X     |
| 19                     | Staff Bead        | 15x21              | X  |    |       |
| 19                     | Staff Bead        | 15x27              |    | X  |       |
| 25                     | Cushion Corner    | 21x21              | X  |    |       |
| 38                     | Cushion Corner    | 32x32              |    |    | X     |
| 50                     | Cushion Corner    | 40x40              |    |    | X     |

# Door Lining/Casing Sets

Produced from Setra's high quality spruce. Each set is inspected for quality before being packaged.

## Door Linings

| Nominal Thickness (mm) |                                | Nominal Width (mm) |     |     |     |         |
|------------------------|--------------------------------|--------------------|-----|-----|-----|---------|
|                        | Profile                        | Wood Type          | 100 | 115 | 125 | 138 175 |
| 32                     | Inc Stop 2'3/2'6 Heads         | Whitewood          |     | X   |     | X       |
| 32                     | Inc Stop 2'6/2'9 Heads         | Whitewood          | X   | X   |     | X       |
| 32                     | No Stop 2'3/2'6 Heads          | Whitewood          |     | X   |     | X       |
| 32                     | No Stop 2'6/2'9 Heads          | Whitewood          |     | X   |     | X       |
| 32                     | No Stop 2'6/2'9 Heads          | Redwood            |     |     |     | X       |
| 32                     | Inc Stop 2'6/2'9 Heads         | Redwood            |     |     | X   |         |
| 32                     | fin 155 Inc Stop 2'6/2'9 Heads | Redwood            |     |     |     | X       |
| 38                     | Inc Stop 2'3/2'6 Heads         | Redwood            |     | X   |     | X       |
| 38                     | Inc Stop 2'6/2'9 Heads         | Redwood            |     | X   |     | X       |


## Doorstops

| Nominal Thickness (mm) |         | Nominal Width (mm) |    |
|------------------------|---------|--------------------|----|
|                        | Profile | 38                 | 50 |
| 16,7                   | PSE     | X                  | X  |
| 16,7                   | Ovolo   | X                  | X  |
| 19                     | PSE     | X                  | X  |
| 32                     | PSE     | X                  | X  |

# Certifire Door Linings

High quality softwood certifire door linings, are manufactured from slow grown premium redwood timber, which has been precision finished and fully machined.

Certifire Door Lining sets should be used with specified CERTIFIRE approved doors and fixings.



### Certifire Grooved Door Linings

| Nominal Thickness (mm) |                        | Nominal Width (mm) |     |     |
|------------------------|------------------------|--------------------|-----|-----|
|                        | Profile                | Wood Type          | 115 | 138 |
| 38                     | Inc Stop 2'3/2'6 Heads | Redwood            | X   | X   |
| 38                     | Inc Stop 2'6/2'9 Heads | Redwood            |     | X   |



APPROVED PRODUCT CAF 5075

# Garden Products

## Setra Deck

Produced from Swedish pine, our treated decking ensures consistent durability and quality.

### Setra Anti-Slip Decking

A factory applied, machined process, which can be applied to any of our softwood decking profiles, transforming them into safer, anti slip surfaces.


The specially formulated combination of resin and aggregate provides a robust solution to the hazards posed in slippery conditions, and is ideal for both domestic and commercial applications.




#### Swedish Redwood Decking (UC3u Green Treated)

| Nominal Thickness (mm) | Profile    | Nominal Width (mm) |     |
|------------------------|------------|--------------------|-----|
|                        |            | 125                | 150 |
| 32                     | NYBY       |                    | X   |
| 38                     | MALA       | X                  |     |
| 32                     | KASTET     | X                  |     |
| 32                     | FARILA     |                    | X   |
| 30                     | SOLNA      | X                  |     |
| 32                     | HASSELFORS |                    | X   |


NYBY




MALA




KASTET




FARILA



SOLNA



HASSELFORS






# Decking Components

Produced from high quality redwood and UC3u pressure-treated for increased durability. The perfect way to enhance and complete any decking project.

## Components

| Thickness (mm) |                                | Width (mm) |    |    |    |    |     |
|----------------|--------------------------------|------------|----|----|----|----|-----|
|                | Profile                        | 41         | 68 | 70 | 83 | 93 | 115 |
| 41             | Turned Spindles                | X          |    |    |    |    |     |
| 41             | Stop Chamfered Spindles        | X          |    |    |    |    |     |
| 41             | Blank Spindles - Eased Corners | X          |    |    |    |    |     |
| 44             | Hand/Base Rail inc Fillet      |            | X  |    |    |    |     |
| 83             | Weathered Top Deck Post        |            |    |    | X  |    |     |
| 83             | Turned Deck Post inc Ball Cap  |            |    |    | X  |    |     |
| 115            | Newel Cap                      |            |    |    |    |    | X   |



# Treated Sleepers

Sleepers pressure treated with either green or brown preservative.

Available in odd packs to full loads.



## Treated Sleepers 2.4 m

| Finish Thickness (mm) | Finish Width (mm) |     |
|-----------------------|-------------------|-----|
|                       | 195               | 200 |
| 95                    | X                 |     |
| 100                   |                   | X   |

# Landscape Batten

Redwood PSE & R4C Polar Landscape Batten UC3 Treated. Popular for use in contemporary garden fencing projects as well as other applications.



## 25x50, 25x75 and 25x100 5th Redwood PSE & R4C Polar Landscape Batten UC3 Treated

| Finish Thickness (mm) | Length | Finish Width (mm) |    |    |
|-----------------------|--------|-------------------|----|----|
|                       |        | 45                | 70 | 95 |
| 20                    | 3,6    | X                 |    |    |
| 20                    | 3,9    | X                 | X  | X  |
| 20                    | 4,2    | X                 |    |    |
| 20                    | 4,8    | X                 | X  | X  |

Other lengths available to order.

# Sawn Products

Setra supply and offer a wide range of sawn timber, redwood pine (Pinus Sylvestris) products and whitewood spruce (Picea Abies). Products are all kiln dried, available in various grades and length specifications.

All stocks are available from undercover Ex Quay facilities at King's Lynn and Hull. Supplied in full loads, half loads, individual packs and smaller volumes to meet customer requirements. With regular shipments from Sweden, constantly replenishing our stocks.

Available in FSC® & PEFC



## Redwood and Whitewood Sawn

|        | Redwood<br>Unsorted | Redwood<br>1-V /<br>Fifths | Redwood<br>Sixths | Whitewood<br>1-V | Whitewood<br>Sixths |
|--------|---------------------|----------------------------|-------------------|------------------|---------------------|
| 75x225 | X                   | X                          | X                 |                  |                     |
| 75x200 | X                   | X                          | X                 |                  |                     |
| 75x150 | X                   | X                          | X                 |                  |                     |
| 75x125 |                     | X                          | X                 |                  |                     |
| 63x225 | X                   | X                          | X                 |                  |                     |
| 63x200 |                     | X                          | X                 |                  |                     |
| 50x250 | X                   |                            | X                 |                  |                     |
| 50x225 | X                   | X                          | X                 |                  |                     |
| 50x200 | X                   | X                          | X                 |                  |                     |
| 50x175 | X                   | X                          | X                 |                  |                     |
| 50x150 | X                   | X                          | X                 |                  |                     |
| 50x125 | X                   | X                          | X                 |                  |                     |
| 50x100 | X                   | X                          | X                 |                  |                     |
| 47x150 | X                   | X                          | X                 | X                |                     |
| 47x100 | X                   | X                          | X                 | X                |                     |
| 38x225 | X                   | X                          | X                 |                  |                     |
| 38x200 | X                   | X                          | X                 |                  |                     |
| 38x175 | X                   | X                          | X                 |                  |                     |
| 38x150 | X                   | X                          | X                 |                  |                     |
| 32x225 | X                   | X                          | X                 |                  |                     |
| 32x200 | X                   | X                          | X                 |                  |                     |
| 32x150 | X                   | X                          | X                 |                  |                     |
| 25x225 | X                   | X                          | X                 |                  |                     |
| 25x200 | X                   | X                          | X                 |                  |                     |
| 25x175 | X                   | X                          | X                 |                  |                     |
| 25x150 | X                   | X                          | X                 |                  |                     |
| 25x125 | X                   | X                          | X                 |                  |                     |
| 25x100 | X                   | X                          | X                 |                  |                     |
| 25x75  |                     | X                          | X                 |                  |                     |
| 22x150 |                     |                            |                   | X                | X                   |
| 22x125 |                     |                            |                   | X                | X                   |
| 22x100 |                     |                            |                   | X                | X                   |
| 22x75  |                     |                            |                   | X                | X                   |
| 19x150 | X                   | X                          | X                 | X                | X                   |
| 19x125 | X                   | X                          | X                 | X                | X                   |
| 19x100 | X                   | X                          | X                 | X                | X                   |
| 19x75  | X                   | X                          | X                 | X                | X                   |

# Structural Timber

## C24 Carcassing

Kiln-Dried raw material ensures consistent and stable grading to C24.

Selected softwood produced at Hasselfors Sawmills as well as other reputable brands.

All available for collection or delivery from our landed stock in King's Lynn.



### C24 Carcassing (Treated UC2 & Untreated) Available stock lengths may vary

| Nominal Thickness (mm) |               |         | Nominal Width (mm) |     |     |     |     |     |     |  |
|------------------------|---------------|---------|--------------------|-----|-----|-----|-----|-----|-----|--|
|                        | Profile       | Lengths | 75                 | 100 | 125 | 150 | 175 | 200 | 225 |  |
| 47                     | Whitewood     | 2.4     | X                  | X   |     | X   |     |     |     |  |
| 47                     | Regularised & | 3.0     | X                  | X   |     | X   |     |     |     |  |
| 47                     | Eased         | 3.6     | X                  | X   | X   | X   | X   | X   | X   |  |
| 47                     | 4 Corners     | 4.2     | X                  | X   | X   | X   | X   | X   | X   |  |
| 47                     |               | 4.8     | X                  | X   | X   | X   | X   | X   | X   |  |
| 47                     |               | 5.4     |                    |     |     | X   | X   | X   | X   |  |
| 47                     |               | odd     | X                  | X   | X   | X   | X   | X   | X   |  |

NB 47x75 Sold as C16

## CLS

Quality Softwood produced at our Hasselfors mill as well as other reputable sawmills to suit UK specification.

Single Packs, Half & Full Loads available from our Ex Quay Landed Stock operation.

CLS is also available ex stock clear treated UC2



### CLS

| Nominal Thickness (mm) |                      | Profile | Lengths | Nominal Width (mm) and Finish Size |              |                      |               |                       |
|------------------------|----------------------|---------|---------|------------------------------------|--------------|----------------------|---------------|-----------------------|
|                        |                      |         |         | 75 (fin 63)                        | 100 (fin 89) | 100 (fin 89) Treated | 150 (fin 140) | 150 (fin 140) Treated |
| 50                     | 2,4                  |         |         | X                                  | X            |                      |               |                       |
|                        | (Fin 38) Regularised | 3,0     |         | X                                  | X            |                      |               |                       |
| 50                     | 4,8                  |         |         | X                                  | X            | X                    | X             | X                     |
| 50                     | 5,4                  |         |         |                                    |              | X                    |               | X                     |

# Scaffold Boards

Banded Scaffold Boards made from high-quality European Whitewood and feature metal banding on both ends for added reinforcement.

These versatile boards have now found a wide range of uses for your construction and home improvement projects.

# Battens

Ex Stock available in Full Loads or as part of a combination delivery.

Type A Battens are UC2 Green treated, and are suitable for landscaping, agricultural and other non-structural uses.



## BS Graded Banded Scaffold boards

| Nominal Thickness (mm) | Length | Nominal Width (mm) |
|------------------------|--------|--------------------|
|                        |        | 225                |
| 36                     | 3,9    | X                  |



## UC2 Treated BS Battens

| Nominal Thickness (mm) | Length | Nominal Width (mm) |    |
|------------------------|--------|--------------------|----|
|                        |        | 38                 | 50 |
| 25                     | 3,6    | X                  | X  |
| 25                     | 4,8    | X                  | X  |

N.B - stock lengths may vary, please check availability

## UC2 Treated Type A Battens (Green)

| Nominal Thickness (mm) | Length | Nominal Width (mm) |    |
|------------------------|--------|--------------------|----|
|                        |        | 38                 | 50 |
| 19                     | 3,6    | X                  |    |
| 19                     | 4,2    | X                  |    |
| 19                     | 4,8    | X                  |    |
| 25                     | 3,6    | X                  |    |
| 25                     | 4,2    | X                  |    |
| 25                     | 4,8    | X                  | X  |

N.B - stock lengths may vary, please check availability. Other sections are available on request.

# Specialist Products from Sweden

## Structural Glulam

Glulam is 45mm of lumber layers that are joined together through finger-jointing and gluing, to create a larger beam. The wood is mostly spruce. The result is an environmentally friendly material which is stronger than steel and concrete in relation to its own weight.

Setra's glulam consists of 100 percent Swedish wood, mostly spruce but also pine. We have pride in supplying a real Swedish product, that is renewable and climate friendly. It contributes to a natural environment, both in your home and on a global perspective.

Setra glulam has all the good qualities from the wood and is extremely strong and dimensionally stable. The building material is ideal for all types of structures, but especially useful in buildings with a large span, for example sport halls, churches and apartment blocks.

Setra glulam is also suitable as a supporting structure for outdoor verandas, carports, or garden sheds. You can also build smaller things in glulam. Why not construct a ladder, a dresser or a chair?



# Specialist Products from Sweden

## Finger-Jointed Components

Produced from carefully graded Redwood, Setra components can be produced with horizontal or vertical finger-joints. Using latest scanning technology, our finger-jointed components can be produced with continuous grain.

Ideal uses are for Setra Finger-Jointed components include window-frame sections, as well as for door frames where stability is important. Consistent appearance and optimal lengths can also be achieved by using finger-jointed components.



### Finger Jointed Components

|    | Nominal Thickness (mm) | Nominal Width (mm) |    |     |     |     |
|----|------------------------|--------------------|----|-----|-----|-----|
|    | 50                     | 63                 | 75 | 100 | 125 | 150 |
| 74 | X                      | X                  | X  | X   | X   | X   |
| 63 | X                      | X                  | X  | X   | X   | X   |
| 50 | X                      | X                  | X  | X   | X   | X   |
| 38 | X                      | X                  | X  | X   | X   | X   |
| 32 | X                      | X                  | X  | X   | X   | X   |
| 25 | X                      | X                  | X  | X   | X   | X   |



# Excellence in Special Machining

Setra Wood Products Ltd operates three in-house machining lines, with a hands-on approach to every piece we machine.

Our team of experienced machinists and mill operatives, combined with high quality raw material, gives us confidence in the production of our machined timber.

## Wadkin XJ220

Alongside the Powermats we operate a Wadkin XJ220 with automatic in-feed, out-feed and a length stamping facility.

This machine is suited to longer batch runs and is the perfect compliment to our Powermats.



## The Powermat 3000

Our new Weinig Powermat 3000 is reliable, powerful and versatile. It is the focal point of our production facility, and its versatility allows us to maximise our production capabilities to suit our customers requirements.

With it's variable spindle speed, fast setting and capability of 80mtrs per minute, this machine enhances our flexibility and production performance. This machine produces outstanding surface quality, even at high feed speeds.

The Powermat 3000 is the new flagship of the Powermat series of machines.

## The Powermat 1000

We also operate a Weinig Powermat 1000. This machine has been designed to run short to medium batches and provides a high quality machined finish. Product sizes range from a minimum of 8x25 to maximum of 150x225.

Using state of the art tooling and software technology, our ability to manufacture and supply machined sections to customers own specification provides the perfect complement to our existing range of high quality prepared stocks and mouldings.

### Both Powermats

Can produce a wide range of mouldings including:

- Architraves
- Single purpose and reversible skirting boards
- Windowboards and window sections
- Hand rails, base rails, covings and cover strips
- PTG Flooring
- Small beadings (Scotia, Quadrant, Parting Beads etc)
- PAR to special finish sizes or rounded/eased corner

# Additional Added-Value Services

## White Priming

Timber is primed with a high-opacity primer using a single vacuum coat application.

The primer contains an anti-mould/anti-fungal protection and provides a basecoat prior to final finishing.

Ideal for internal items such as skirtings, architraves, door linings and stops, and for roof components such as fascias and barge boards.



## Preservative Treated

### Green (High pressure) Treatment

A waterborne, alkaline/copper-based preservative system developed to provide long-term protection of timber.

1. Interior use only – **Use Class 2 (UC2)**
2. Exterior use above ground – **Use Class 3U (UC3u)**
3. Ground contact – **Use Class 4 (UC4)**

Machined or regularised Nordic whitewood is limited to use class 2

Protects against wood-decaying fungi and attack from wood-destroying insects.

Moisture, sun and outdoor conditions may cause the timber to show signs of weathering. Regular maintenance by way of a brush-applied timber treatment is highly recommended.

### Clear (Low pressure) Treatment

Acts as a surface coat and is applied to timber at a low pressure for a short amount of time.

Suitable for internal and external use for joinery projects not in contact with the ground or surface water.

The treatment protects timber against wood-decaying fungi and attack from wood destroying insects.

As with green high-pressure treatment, moisture, sun and outdoor conditions may cause the project to show signs of weathering. Regular maintenance by way of a brush-applied timber treatment or paint/stain will again be required.

# Environmental and Sustainability

Subject to the constraints imposed by its financial and technical resources, Setra Wood Products Ltd conducts its operations in such a way that the impact on the environment is minimized.

Wood, our key raw material, is a renewable and eco-cycle compliant resource. The procurement of forestry products from companies that source their timber from environmentally managed forests is a key element of Setra Wood Products Ltd's policy.



## In Adherence to its 'Environmental Policy' Setra Wood Products Ltd Will -

- Within the framework of its management system, establish and follow up tangible environmental targets for its operations.
- Comply with laws and other relevant requirements relating to the environment that concern its business.
- Procure timber raw material from suppliers with PEFC or FSC® certification.
- Assess criteria ahead of the purchase of goods and services for their impact on the external and working environment.
- Influence suppliers and other partners so that they contribute to compliance with Setra Wood Products' environmental policy.
- Ensure that all employees have the competence and resources to enable compliance with the requirements and intentions of the environmental policy.
- Communicate with employees, customers and other stakeholders in an open and objective manner on matters concerning the environment.



Ask us about our FSC® certified products.



# Meet the Team

Our dedicated group of people working closely together to deliver high-quality wood products and support our customers and partners in the UK market.



**Stuart Newman**  
Managing Director  
Phone: +44 1553 760071  
Mobile: +447775 628081  
[stuart.newman@setragroup.com](mailto:stuart.newman@setragroup.com)



**Bill Urmston**  
Customer Account Manager  
Phone: +44 1482 87 00 35  
Mobile: +44 7710 905 752  
[bill.urmston@setragroup.com](mailto:bill.urmston@setragroup.com)



**Gary Withers**  
Customer Account Manager  
Phone: +44 1553 760071  
Mobile: +447557 257320  
[gary.withers@setragroup.com](mailto:gary.withers@setragroup.com)



**Shaun White**  
Customer Account Manager  
Phone: +44 1553 760071  
Mobile: +447799 624434  
[shaun.white@setragroup.com](mailto:shaun.white@setragroup.com)



**Kevin Mummery**  
Customer Account Manager  
Phone: +44 1553 760071  
Mobile: +447771 770324  
[kevin.mummery@setragroup.com](mailto:kevin.mummery@setragroup.com)



**Lee Tucker**  
Customer Account Manager  
Phone: +44 1553 760071  
Mobile: +447884 492458  
[lee.tucker@setragroup.com](mailto:lee.tucker@setragroup.com)



**Mandy Hann**  
Sales/Customer Service  
Phone: +44 (0) 1553 760071  
Mobile: +44 (0) 7714 146699  
[mandy.hann@setragroup.com](mailto:mandy.hann@setragroup.com)



**Abbey Johnson**  
Customer Service  
Phone: +44 1553 760071  
[abbey.johnson@setragroup.com](mailto:abbey.johnson@setragroup.com)



**Ashleigh Walker**  
Customer Service  
Phone: +44 1553 760071  
[ashleigh.walker@setragroup.com](mailto:ashleigh.walker@setragroup.com)



**Susan Loveridge**  
Customer Service  
Phone: +44 1553 760071  
[susan.loveridge@setragroup.com](mailto:susan.loveridge@setragroup.com)



**Hilary Walls**  
Customer Service  
Phone: +44 1482 870035  
[hilary.walls@setragroup.com](mailto:hilary.walls@setragroup.com)



**Ellie-Mae Nichols**  
Customer Service  
Phone: +44 1553 760071  
[ellie-mae.nichols@setragroup.com](mailto:ellie-mae.nichols@setragroup.com)



**Ryan Kilvington**  
Customer Service  
Phone: +44 1553 760071  
[ryan.kilvington@setragroup.com](mailto:ryan.kilvington@setragroup.com)



**Sarah Bennett**  
Despatch Clerk  
Phone: +44 1553 760071  
[sarah.bennett@setragroup.com](mailto:sarah.bennett@setragroup.com)



**Kevin Cox**  
Purchase Manager  
Phone: +44 1553 760071  
[kevin.cox@setragroup.com](mailto:kevin.cox@setragroup.com)



**Adele Hardy**  
Administration Assistant  
Phone: +44 1553 760071  
[adele.hardy@setragroup.com](mailto:adele.hardy@setragroup.com)



**Aaron Walker**  
Materials Planner  
Phone: +44 1553 760071  
[aaron.walker@setragroup.com](mailto:aaron.walker@setragroup.com)




**David Lambourne**  
Compliance Manager  
Phone: +44 1553 760071  
[david.lambourne@setragroup.com](mailto:david.lambourne@setragroup.com)



**Sarah York**  
Office/Accounts Manager  
Phone: +44 1553 760071  
[sarah.york@setragroup.com](mailto:sarah.york@setragroup.com)

# Setra Wood Products Ltd

We machine and hold stocks of high quality Scandinavian planed goods, and distribute these nationwide. We hold landed stocks and sell sawn packs of joinery quality pine and spruce, glulam and C24 structural softwood throughout the UK. Our team is also responsible for supplying bulk softwood direct from Setra Sawmills in Sweden.



*We create green value.*

Setra Wood Products Ltd | Estuary Road, King's Lynn | NORFOLK PE30 2HJ, UK

Phone: +441553 760071 | [mail@setrawoodproducts.com](mailto:mail@setrawoodproducts.com)

[setrawoodproducts.co.uk](http://setrawoodproducts.co.uk)  Setra Group